

Notice of Allowability

Application No.

10/727,883

Examiner

Cassandra Davis

Applicant(s)

LEMIRE, ROBERT J.

Art Unit

3611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to telephone interview on August 20, 2004.
2. ☒ The allowed claim(s) is/are 1 and 3-5.
3. ☒ The drawings filed on 05 December 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Lemire on August 20, 2004.

The application has been amended as follows:

Claim 2 has been canceled.

1. An improved picture display device ~~composing~~ comprising a flexible cord forming a plurality of adjustable interconnected hanging loops for slidably engaging a double hook-easel, ~~affixed to a wall the picture display device has a picture back configured to be attached to the picture display device, said back having a series of apertures there-through in which the flexible cord is threaded, said cord being affixed to the back at at least one end thereof and forming the adjustable loops between pairs of adjacent apertures such that the loops are used for engaging the double hook-easel when affixed to a wall;~~

the double hook-easel is configured to be removably attached to the picture back to form an easel flap for holding the picture display device in an upright orientation on a horizontal surface and to be removably attached to a wall to form a hanger for engaging the loops for hanging the picture display device therefrom.

3. The picture display device of claim 2 1, wherein the ~~combined~~ double hook-easel and easel flap has an recess or aperture for securing the display device on a the horizontal surface.

4. The ~~double hook and easel back~~ picture display device of claim 2 1 wherein it the double hook-easel is configured to have slots for affixing it to a wall using fasteners, thereby providing a ~~measure of~~ means for horizontal positioning.

5. The picture display device of claim 1, wherein the back is configured to have a means for inserting and removing a picture without removing the back.


2. The following is an examiner's statement of reasons for allowance: the prior art of record does not teach nor suggest a picture display device comprising a back with a cord forming a plurality of loops and an double hook-easel member attachable to the back to form a easel flap and attachable to a wall so that the device can be hung from the loops on the back.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cassandra Davis whose telephone number is 703-308-2223. The examiner can normally be reached on Monday-Friday 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lesley Morris can be reached on 703-308-0629. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Cassandra Davis
Primary Examiner
Art Unit 3611

CD
August 20, 2004